Alliance Analytical Laboratories, Inc.

179 West Randall Street
Coopersville, MI 49404
Phone: (616) 837-7670
Fax: (616) 837-7701

TEST RESULTS REPORT

Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

CUSTOMER Herbal Gifts LLC
1480 Dix St.
Williamsport PA 17701,

SAMPLE DESCRIPTION R404172
Green Thai

SAMPLE DATE

DATE RECEIVED 4/24/2025

REFERENCE NUMBER 2029939: 2422081 **Customer PO**

TEMPERATURE AT RECEIVING

Test Requested	Test Method		Results	Ref Number	Start Date
Kratom P1					
Aerobic Plate Count	^BAM Ch 3 Analyst: 57	Log: 3.8	7600 cfu/g		4/24 4:49 PM
Coliform	^ AOAC 991.14 Analyst: 57	Log: <2.0	<100 cfu/g		4/24 4:49 PM
E.coli Generic	^AOAC 991.14 Analyst: 57	Log: <2.0	<100 cfu/g		4/24 4:49 PM
Mold	^ BAM Ch 18 Analyst: 57	Log: 3.4	2600 cfu/g		4/24 4:49 PM
Salmonella	AOAC 011404 Analyst: 57		Negative/25g		4/24 2:35 PM Kit Lot Number: SSP801
Staphylococcus aureus	CMMEF39.52 Analyst: 57		<3 mpn/g		4/24 4:49 PM
Yeast	^Bam Ch 18 Analyst: 57	Log: <2.0	<100 cfu/g		4/24 4:49 PM
Mitragynine	Analyst: 55		1.74 %	20110:108	4/25 2:41 PM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.
Test results apply to the sample as received.

THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION PURSUANT TO 5 U.S.C.(b)(4)
This report must not be reproduced, except in full, without written approval of the laboratory.

Reviewed and Approved by: Audrey Monroe - Laboratory Director Date: 4/30/2025

Date: 4/30/2025